

From: [Mark Simms](#)
To: [Craig Samek](#); [Kim Cole](#)
Cc: [Justin Vondrak](#); [Joe Fontenot](#)
Subject: RE: EPA Document Request-Sewer Use Ordinance
Date: Wednesday, January 02, 2019 2:10:42 PM

See if anything I just sent provides that...if not, I can search more.

Mark Simms
Utilities Director
City of Sioux City
O: 712.279.6957

From: Craig Samek
Sent: Wednesday, January 02, 2019 2:07 PM
To: Kim Cole <kim.cole@kimhec.com>; Mark Simms <msimms@sioux-city.org>
Cc: Justin Vondrak <jvondrak@sioux-city.org>; Joe Fontenot <jfontenot@sioux-city.org>
Subject: RE: EPA Document Request-Sewer Use Ordinance

The one Mark sent was revised 5-2016. The one I have on file was revised 9-2016. They appear to be almost identical. We would still need the ERP that was in effect during the time when BOE submitted their application in 06/2015

I think we need documentation for the removal of TSS local limits from the ordinance or the complete ordinance as well if that happened after BOE submitted their permit 06-2015.

Craig Samek
SC WWTP
Pretreatment Coordinator

712-279-6987
3100 S Lewis Blvd
Sioux City, IA 51106
csamek@sioux-city.org

From: Kim Cole [<mailto:kim.cole@kimhec.com>]
Sent: Wednesday, January 02, 2019 1:57 PM
To: Mark Simms <msimms@sioux-city.org>
Cc: Craig Samek <csamek@sioux-city.org>; Justin Vondrak <jvondrak@sioux-city.org>; Joe Fontenot <jfontenot@sioux-city.org>
Subject: Re: EPA Document Request-Sewer Use Ordinance

I used to have a file on Dropbox and it had the earlier version of the ERP; it could/should be the same that Mark attached. I just looked but I can't find the folder in my version I have on my computer now... The council method may be the better route anyway...

Kim Cole (Hoskins), P.E.
KimHEC | 314.276.9575 | kim.cole@kimhec.com

On Wed, Jan 2, 2019 at 1:52 PM Mark Simms <msimms@sioux-city.org> wrote:

Possibly looking for the attached? . If needed, we should be able to find the RCA when council was asked to approve the original. I think we should verify that the attached is what was adopted and then sent to IU's.

Look for a possible follow up email from me with other docs related to the ERP as we sort through this. I'll do a search on the U drive for any ERP documents

Mark Simms
Utilities Director
City of Sioux City
O: 712.279.6957

From: Craig Samek
Sent: Wednesday, January 02, 2019 1:29 PM
To: Mark Simms <msimms@sioux-city.org>; Kim Cole <kim.cole@kimhec.com>
Cc: Justin Vondrak <jvondrak@sioux-city.org>; Joe Fontenot <jfontenot@sioux-city.org>
Subject: RE: EPA Document Request-Sewer Use Ordinance

Yes, if you can find the original versions prior to the modification that would be great. I'll keep looking myself. But I only see the current versions.

Thanks,

Craig Samek
SC WWTP
Pretreatment Coordinator

712-279-6987
3100 S Lewis Blvd
Sioux City, IA 51106
csamek@sioux-city.org

From: Mark Simms
Sent: Wednesday, January 02, 2019 1:16 PM
To: Craig Samek <csamek@sioux-city.org>; Kim Cole <kim.cole@kimhec.com>
Cc: Justin Vondrak <jvondrak@sioux-city.org>; Joe Fontenot <jfontenot@sioux-city.org>
Subject: RE: EPA Document Request-Sewer Use Ordinance

TSS Local Limit was dropped (DNR approved). Previous IPC made that request.
ERP was updated and adopted.

If I need to look for something, just let me know.

Mark Simms
Utilities Director
City of Sioux City
O: 712.279.6957

From: Craig Samek

Sent: Wednesday, January 02, 2019 1:13 PM

To: Mark Simms <msimms@sioux-city.org>; Kim Cole <kim.cole@kimhec.com>

Cc: Justin Vondrak <jvondrak@sioux-city.org>; Joe Fontenot <jfontenot@sioux-city.org>

Subject: EPA Document Request-Sewer Use Ordinance

Working on the document request for EPA.

Item 7 on the request is for sewer use ordinance. I understand the ERP was revised in 2017 can anyone . They would like to see all sewer use documents in effect from the time that BOE submitted their original application in June 2015 through now. Are there any other ordinance modifications that occurred 2015-2016?

Craig Samek
SC WWTP
Pretreatment Coordinator

712-279-6987
3100 S Lewis Blvd
Sioux City, IA 51106
csamek@sioux-city.org